

Appln No. 10/500,188  
Amdt date June 5, 2008  
Reply to Office action of March 5, 2008

**REMARKS**

Claims 1-37 are pending in the application.

In the Office action of March 5, 2008, restriction to a single group of inventions under PCT Rule 13.1 is required as follows:

- Group I: claims 1-12 and 21-37, drawn to a device for repairing a cardiac valve or a mitral annulus.  
Group II: claims 13-20, drawn to a method of reshaping a cardiac valve.

If Group I is elected, further restriction to the following Species is required:

- Species A: shown, for example, in Figures 1 and 2.  
Species B: shown, for example, in Figures 40A-40D.  
Species C: shown, for example, in Figures 44A-45B.  
Species D: shown, for example, in Figures 48A-50.


The Office action also states that claims are deemed to correspond to the species listed above in the following manner:

- Species A: claims 1-12  
Species B: claims 21-30  
Species C : claims 31-33  
Species D: claims 34-37

Applicants elect Group I, Species C for prosecution on the merits. The elected Group I, Species C corresponds to claims 31-33.

Consideration and allowance of the claims are respectfully requested.

Respectfully submitted,  
CHRISTIE, PARKER & HALE, LLP

By   
Saïd Mirsafian  
Reg. No. 52,035  
626/795-9900

SM/mr

MIR IRV1113753.1-\*06/5/08 4:18 PM